Chapter 16 Massachusetts Localities

Chapter 16 provides a summary of the geographic profile of the HIV/AIDS epidemic in Massachusetts. HIV and AIDS prevalence data are presented in summary tables for each Health Service Region as well as for the 15 cities with the highest number of people living with HIV/AIDS (prevalence), and the highest prevalence rate per 100,000 population. [Note: two cities in the top 15 ranking by prevalence rate per 100,000 were omitted from this analysis for reasons of confidentiality; the total number of people living with HIV/AIDS in each city was less than 50, and the total populations were less than 20,000.] These analyses provide a point of reference for comparison to the statewide HIV/AIDS epidemic. Figures and bullet points have been omitted to conserve space and minimize redundancy. Please see Chapter 3 for figures, bullet points and additional data by Health Service Region.

I. Massachusetts HIV/AIDS Prevalence – HIV and AIDS Case Data

Table 16.1 People Livin Race/Ethnicity: Boston Regions (HSR), MA Data as of July 1, 2001	•				•	r and
, ,	BOST(_	CENTR HSR		METROV HSF	_
By Gender:	N	%	N	%	N	%
Male Female Total	3,172 968 4,140	77% 23%	699 410 1,109	63% 37%	1,147 422 1,569	73% 27%
By Race / Ethnicity:	N	%	N	%	N	%
White NH Black NH Hispanic Asian/Pacific Islander American Indian/Alaska Native Unknown Total	1,820 1,544 699 52 6 19 4,140	44% 37% 17% 1% <1% <1%	550 164 384 6 3 2 1,109	50% 15% 35% 1% <1% <1%	949 441 150 21 0 8 1,569	60% 28% 10% 1% 0% 1%

Table 16.2 People Living with HIV Infection and AIDS By Gender and Race/Ethnicity: Northeast, Southeast, and Western Health Service Regions (HSR), MA Data as of July 1, 2001

	NORTHE HSR	_	SOUTHE HSF	_	WESTERN HSR	
By Gender:	N	%	N	%	N	%
Male	1,231	69%	1,261	70%	946	63%
Female	545	31%	533	30%	544	37%
Total	1,776		1,794		1,490	
Dy Doos / Ethnicity:	N	%	N	%	N	%
By Race / Ethnicity:	IN	70	IN	70	IN	70
White NH	954	54%	1217	68%	463	31%
Black NH	267	15%	325	18%	295	20%
Hispanic	521	29%	234	13%	713	48%
Asian/Pacific Islander	24	1%	3	<1%	1	<1%
American Indian/Alaska Native	3	<1%	2	<1%	1	<1%
Unknown	7	<1%	13	1%	17	1%
Total	1,776		1,794		1,490	

Table 16.3 People Living with HIV Infection and AIDS By Exposure Mode, and Current Age: Boston, Central and MetroWest Health Service Regions (HSR), MA

, , , , , , , , , , , , , , , , , , ,	BOSTO HSR		CENTR HSR		METROWEST HSR	
By Exposure Mode:	N	%	N	%	N	%
Male to Male Sex (MSM) Injection Drug Use (IDU) MSM/IDU Heterosexual Sex (HTSX) Presumed HTSX Other No Identified Risk Total	1,819 970 147 426 526 69 183 4,140	44% 23% 4% 10% 13% 2% 4%	211 499 29 197 122 25 26 1,109	19% 45% 3% 18% 11% 2% 2%	624 353 41 154 273 43 81	39% 22% 3% 10% 18% 3% 6%
By Current Age, in Years:	N	%	N	%	N	%
Under 13 13 to 19 20 to 24 25 to 29 30 to 34 35 to 39 40 to 44 45 to 49 50+ Total	19 ¹ 15 58 163 523 899 1,027 736 700 4,140	<1% <1% 1% 4% 13% 22% 25% 18%	7 ¹ 3 10 53 125 277 267 207 160 1,109	<1% <1% 1% 6% 16% 25% 24% 19% 14%	4 ¹ 9 12 66 218 399 331 267 263 1,569	1% <1% <1% 4% 11% 25% 21% 17%

¹ Pediatric HIV infection surveillance is performed through a separate surveillance system, the Pediatric Spectrum of Disease (PSD) Project. HIV cases under age 13 are not included in totals.

Data Source: MDPH HIV/AIDS Surveillance Program (percentages may not add up to 100% due to rounding)

Table 16.4 People living with HIV Infection and AIDS By Exposure Mode and Current Age: Cities of Northeast, Southeast, and Western Health Service Regions, MA

	NORTHEAST HSR		SOUTHE HSR		WESTERN HSR	
By Exposure Mode:	N	%	N	%	N	%
Male to Male Sex (MSM)	498	28%	599	33%	275	18%
Injection Drug Use (IDU)	560	32%	628	35%	629	42%
MSM/IDU	56	3%	55	3%	39	3%
Heterosexual Sex (HTSX)	272	15%	250	14%	265	18%
Presumed HTSX	260	15%	147	8%	180	12%
Other	34	2%	36	2%	19	1%
No Identified Risk	96	5%	79	4%	83	6%
Total	1,776		1,794		1,490	
By Current Age, in	NI	0/	NI	0/	NI	0/
Years:	N	%	N	%	N	%
	4		4		4	
Under 13	8 ¹	<1%	9 ¹	<1%	5 ¹	<1%
13 to 19	7	<1%	6	<1%	10	<1%
13 to 19 20 to 24	7 24	<1% 1%	6 22	<1% 1%	10 30	<1% 2%
13 to 19 20 to 24 25 to 29	7 24 88	<1% 1% 5%	6 22 54	<1% 1% 3%	10 30 71	<1% 2% 5%
13 to 19 20 to 24 25 to 29 30 to 34	7 24 88 251	<1% 1% 5% 14%	6 22 54 233	<1% 1% 3% 13%	10 30 71 194	<1% 2% 5% 13%
13 to 19 20 to 24 25 to 29 30 to 34 35 to 39	7 24 88 251 426	<1% 1% 5% 14% 24%	6 22 54 233 426	<1% 1% 3% 13% 24%	10 30 71 194 358	<1% 2% 5% 13% 24%
13 to 19 20 to 24 25 to 29 30 to 34 35 to 39 40 to 44	7 24 88 251 426 417	<1% 1% 5% 14% 24% 24%	6 22 54 233 426 419	<1% 1% 3% 13% 24% 23%	10 30 71 194 358 336	<1% 2% 5% 13% 24% 23%
13 to 19 20 to 24 25 to 29 30 to 34 35 to 39 40 to 44 45 to 49	7 24 88 251 426 417 273	<1% 1% 5% 14% 24% 24% 15%	6 22 54 233 426 419 327	<1% 1% 3% 13% 24% 23% 18%	10 30 71 194 358 336 257	<1% 2% 5% 13% 24%
13 to 19 20 to 24 25 to 29 30 to 34 35 to 39 40 to 44	7 24 88 251 426 417	<1% 1% 5% 14% 24% 24%	6 22 54 233 426 419	<1% 1% 3% 13% 24% 23%	10 30 71 194 358 336	<1% 2% 5% 13% 24% 23%

¹ Pediatric HIV infection surveillance is performed through a separate surveillance system, the Pediatric Spectrum of Disease (PSD) Project. HIV cases under age 13 are not included in totals.

Table 16.5 People Living with HIV Infection and AIDS By Gender and Race/Ethnicity: Cities of Boston, Brockton, Cambridge, and Chelsea, MA

	BOST	ON	BROCK	TON	CAMBR	IDGE	CHELSEA	
By Gender:	N	%	N	%	N	%	N	%
Male	2,883	76%	158	63%	236	78%	105	73%
Female	887	24%	91	37%	68	22%	39	27%
Total	3,770	27/0	249	37 /0	304	ZZ 70	144	21 /0
D. D /								
By Race / Ethnicity:	N	%	N	%	N	%	N	%
White NH	1,601	42%	102	41%	153	50%	58	40%
Black NH	1,487	39%	110	44%	118	39%	22	15%
Hispanic	609	16%	30	12%	29	10%	64	44%
APİ	50	1%	1	0%	2	1%	0	0%
AI/AN	5	<1%	0	0%	0	0%	0	0%
Unknown	18	<1%	6	2%	2	1%	0	0%
Total	3,770		249		304		144	

NH= Non-Hispanic, API = Asian/Pacific Islander, AI/AN = American Indian/Alaska Native
Data Source: MDPH HIV/AIDS Surveillance Program (percentages may not add up to 100% due to rounding)

Table 16.6 People Living with HIV Infection and AIDS By Exposure Mode and Current Age: Cities of Boston, Brockton, Cambridge, and Chelsea, MA

	BOST	ГОМ	BROCK	(TON	CAMBR	RIDGE	CHEL	SEA
By Exposure Mode:	N	%	N	%	N	%	N	%
Male to Male Sex (MSM)	1,638	43%	47	19%	129	42%	56	39%
Injection Drug Use (IDU)	899	24%	78	31%	63	21%	36	25%
MSM/IDU	135	4%	4	2%	12	4%	1	1
Heterosexual Sex (HTSX)	398	11%	49	20%	28	9%	17	12%
Presumed HTSX	473	13%	46	18%	47	15%	19	13%
Other	60	2%	5	2%	11	4%	1	1
No Identified Risk	167	4%	20	8%	14	5%	9	6%
Total	3,770		249		304		144	
By Current Age, in								
Years:								
Under 13 ²	16	<1%	3	1%	2	<1%	1	1
13 to 19	12	<1%	0	0%	4	1%	1	1
20 to 24	46	1%	6	2%	1	<1%	6	4%
25 to 29	146	4%	8	3%	11	4%	7	5%
30 to 34	470	12%	38	15%	36	12%	26	18%
35 to 39	828	22%	45	18%	66	22%	32	22%
40 to 44	933	25%	62	25%	67	22%	27	19%
45 to 49	688	18%	55	22%	62	20%	16	11%
50+	631	17%	32	13%	55	18%	26	18%
Total	3770		249		304		144	

¹ Because the town of Chelsea has a population of <50,000; data cells with <5 cases have been suppressed for confidentiality

² Pediatric HIV infection surveillance is performed through a separate surveillance system, the Pediatric Spectrum of Disease (PSD) Project. HIV cases under age 13 are not included in totals.

Data Source: MDPH HIV/AIDS Surveillance Program (percentages may not add up to 100% due to rounding)

Table 16.7 People Living with HIV Infection and AIDS By Gender and Race/Ethnicity: Cities of Fall River, Holyoke, Lawrence, and Lowell, MA

•	IVER	HOLY	OKE	LAWRE	NCE	LOWELL		
By Gender:	N	%	N	%	N	%	N	%
Male	98	57%	156	57%	159	58%	219	67%
Female	75	43%	119	43%	115	42%	108	33%
Total	173		275		274		327	
By Race / Ethnicity:	N	%	N	%	N	%	N	%
White NH	119	69%	48	17%	42	15%	115	35%
Black NH	25	14%	14	5%	10	4%	54	17%
Hispanic	29	17%	212	77%	221	81%	148	45%
API	0	0%	0	0%	0	0%	9	3%
AI/AN	0	0%	0	0%	0	0%	1	<1%
Unknown	0	0%	1	<1%	1	<1%	0	0%
Total	173		275		274		327	

NH= Non-Hispanic, API = Asian/Pacific Islander, AI/AN = American Indian/Alaska Native

Table 16.8 People Living with HIV Infection and AIDS By Exposure Mode and Current Age: Cities of Fall River, Holyoke, Lawrence, and **Lowell, MA**Data as of July 1, 2001

	FALL R	RIVER	HOLY	HOLYOKE		ENCE	LOW	ELL
By Exposure Mode:	N	%	N	%	N	%	N	%
Male to Male Sex (MSM)	38	22%	23	8%	18	7%	38	12%
Injection Drug Use (IDU)	85	49%	136	49%	106	39%	152	46%
MSM/IDU	7	4%	3	1%	5	2%	13	4%
Heterosexual Sex (HTSX)	21	12%	68	25%	78	28%	45	14%
Presumed HTSX	15	9%	29	11%	36	13%	65	20%
Other	2	1%	4	1%	9	3%	3	1%
No Identified Risk	5	3%	12	4%	22	8%	11	3%
Total	173		275		274		327	
By Current Age, in								
Years:								
Under 13 ¹	_	_	2	<1%	3	<1%	1	<1%
13 to 19	1	1%	2	<1%	3	<1%	2	<1%
20 to 24	4	2%	7	2%	7	2%	4	1%
25 to 29	5	3%	19	7%	19	7%	25	8%
30 to 34	29	17%	48	17%	37	14%	62	19%
35 to 39	44	25%	59	21%	69	25%	75	23%
40 to 44	42	24%	65	24%	66	24%	68	21%
45 to 49	25	14%	42	15%	29	11%	43	13%
50+	23	13%	31	11%	41	15%	47	14%
Total	173		275		274		327	. •

¹ Pediatric HIV infection surveillance is performed through a separate surveillance system, the Pediatric Spectrum of Disease (PSD) Project. HIV cases under age 13 are not included in totals.

Table 16.9 People Living with HIV Infection and AIDS By Gender and Race/Ethnicity: Cities of Lynn, New Bedford and Provincetown, MA Data as of July 1, 2001

	LYNN		NEW BEDI	FORD	PROVINCE'	TOWN
By Gender:	N	%	N	%	N	%
Male	165	63%	244	57%	245	98%
Female Total	95 260	37%	183 427	43%	5 250	2%
By Race / Ethnicity:	N	%	N	%	N	%
White NH	118	45%	215	50%	234	94%
Black NH	78	30%	91	21%	5	2%
Hispanic	59	23%	117	27%	10	4%
APİ	5	2%	0	0%	1	<1%
AI/AN	0	0%	1	<1%	0	0%
Unknown	0	0%	3	1%	0	0%
Total	260		427		250	

NH= Non-Hispanic, API = Asian/Pacific Islander, AI/AN = American Indian/Alaska Native
Data Source: MDPH HIV/AIDS Surveillance Program (percentages may not add up to 100% due to rounding)

Table 16.10 People living with HIV Infection and AIDS By Exposure Mode, and Current Age: Cities of Lynn, New Bedford and Provincetown, MA

Data as of July 1, 2001

	LYNI	V	NEW BED	FORD	PROVINC	ETOWN
By Exposure Mode:	N	%	N	%	N	%
Male to Male Sex (MSM)	59	23%	36	8%	227	91%
Injection Drug Use (IDU)	91	35%	242	57%	6	2%
MSM/IDU	7	3%	11	3%	8	3%
Heterosexual Sex (HTSX)	40	15%	95	22%	3	1%
Presumed HTSX	45	17%	27	6%	3	1%
Other	2	1%	3	1%	0	0%
No Identified Risk	16	6%	13	3%	3	1%
Total	260		427		250	
By Current Age, in	N	%	N	%	N	%
Years:	IN	/0	14	/0	14	/0
Linday 401			0	-40/		
Under 13 ¹	-	-	2	<1%	-	-
13 to 19	0	0%	0	0%	0	0%
20 to 24	4	1%	2	<1%	3	1%
25 to 29	8	3%	14	3%	5	2%
30 to 34	40	15%	61	14%	26	10%
35 to 39	61	23%	97	23%	78	31%
40 to 44	58	22%	91	21%	56	22%
45 to 49	47	18%	84	20%	36	14%
50+	42	16%	76	18%	46	18%
Total	260		427		250	

¹ Pediatric HIV infection surveillance is performed through a separate surveillance system, the Pediatric Spectrum of Disease (PSD) Project. HIV cases under age 13 are not included in totals.

Table 16.11 People Living with HIV Infection and AIDS By Gender and Race/Ethnicity: Cities of Quincy, Somerville, Springfield and Worcester, MA

	QUIN	QUINCY		VILLE	SPRING	FIELD	WORCESTER	
By Gender:	N	%	N	%	N	%	N	%
Male Female Total	121 37 158	77% 23%	166 70 236	70% 30%	494 285 779	63% 37%	414 277 691	60% 40%
By Race / Ethnicity:	N	%	N	%	N	%	N	%
White NH Black NH Hispanic API Al/AN Unknown Total	106 27 18 6 0 1	67% 17% 11% 4% 0% 1%	135 78 19 3 0 1	57% 33% 8% 1% 0% 0%	145 226 405 0 0 3 779	19% 29% 52% 0% 0% <1%	281 123 279 5 1 2 691	41% 18% 40% 1% <1%

NH= Non-Hispanic, API = Asian/Pacific Islander, AI/AN = American Indian/Alaska Native

Table 16.12 People Living with HIV Infection and AIDS By Exposure Mode and Current Age: Cities of Quincy, Somerville, Springfield and Worcester, MA

, ,	OHIN	QUINCY		ER- .E	SPRII FIEL		WO CEST	
By Exposure Mode:	N	%		N %		<u>"</u>	N	<u> </u>
By Exposure Mode.	14	/0	11	/0	N	/0	11	/0
Male to Male Sex (MSM)	55	35%	98	42%	116	15%	103	15%
Injection Drug Use (IDU)	56	35%	42	18%	345	44%	342	49%
MSM/IDU	7	4%	2	1%	21	3%	22	3%
Heterosexual Sex (HTSX)	15	9%	15	6%	129	17%	134	19%
Presumed HTSX `	13	8%	61	26%	113	15%	70	10%
Other	1	1%	5	2%	8	1%	9	1%
No Identified Risk	11	7%	13	6%	47	6%	11	2%
Total	158		236		779		691	
By Current Age, in								
Years:								
Under 13 ¹	_	_	1	<1%	3	<1%	2	<1%
13 to 19	0	0%	1	0%	4	<1%	1	<1%
20 to 24	1	1%	4	2%	10	1%	8	1%
25 to 29	4	3%	16	7%	34	4%	23	3%
30 to 34	23	15%	29	12%	103	13%	76	11%
35 to 39	44	28%	53	22%	195	25%	164	24%
40 to 44	36	23%	53	22%	176	23%	179	26%
45 to 49	31	20%	38	16%	131	17%	131	19%
50+	19	12%	41	17%	123	16%	107	15%
Total	158		236		779		691	

¹ Pediatric HIV infection surveillance is performed through a separate surveillance system, the Pediatric Spectrum of Disease (PSD) Project. HIV cases under age 13 are not included in totals.

Data Source: MDPH HIV/AIDS Surveillance Program (percentages may not add up to 100% due to rounding)

Data as of July 1, 2001 By Race/Ethnicity:	Male		Female	
	N	%	N	%
White NH	1,448	50%	153	17%
Black NH	899	31%	588	66%
Hispanic	481	17%	128	14%
Asian/Pacific Islander	41	1%	9	1%
American Indian/Alaska Native	4	<1%	1	<1%
Unknown	10	<1%	8	1%
Total	2,883		887	
By Mode of Exposure:	N	%	N	%
Male to Male Sex (MSM)	1,638	57%	-	_
Injection Drug Use (IDU)	625	22%	274	31%
MSM/IDU	135	5%	_	-
Heterosexual Sex (HTSX)	114	4%	284	32%
Presumed HTSX `	219	8%	254	29%
Other	27	1%	33	4%
No Identified Risk	125	4%	42	5%
Total	2,883		887	

Data as of July 1, 2001	Male		Female	
By Race/Ethnicity:	N	%	N	%
White NH	73	46%	29	32%
Black NH	73 60	38%	50	55%
Hispanic	22	14%	8	9%
Asian/Pacific Islander	1	1%	0	0%
American Indian/Alaska Native	Ó	0%	0	0%
Unknown	2	1%	4	
Total	158	. , ~	91	
By Mode of Exposure:	N	%	N	%
Male to Male Sex (MSM)	47	30%	_	
Injection Drug Use (IDU)	53	34%	25	27%
MSM/IDU ` ´	4	3%	-	
Heterosexual Sex (HTSX)	19	12%	30	33%
Presumed HTSX	20	13%	26	29%
Other	5	3%	0	0%
No Identified Risk	10	6%	10	11%
Total	158		91	

Data as of July 1, 2001	Male		Female	
By Race/Ethnicity	N	%	N	%
White NH	132	56%	21	240/
Black NH	132 74	31%	- :	31% 65%
	74 26	31% 11%	44 3	1
Hispanic Asian/Pacific Islander	20	11%	ა 0	0%
American Indian/Alaska Native	0	0%	0	0%
Unknown	2	1%	0	0%
Total	236	1 /0	68	0 /0
Total	230		00	
By Mode of Exposure:	N	%	N	%
Male to Male Sex (MSM)	129	55%	<u>-</u>	-
Injection Drug Use (IDU)	38	16%	25	37%
MSM/IDU	12	5%	<u>-</u>	_
Heterosexual Sex (HTSX)	9	4%	19	28%
Presumed HTSX `	28	12%	19	28%
Other	6	3%	5	7%
No Identified Risk	14	6%	0	0%
Total	236		68	

Table 16.16 People Living with HIV Infection and AIDS, Gender by Race/Ethnicity and Mode of Exposure: City of Chelsea, MA Data as of July 1, 2001 Male Female

By Race/Ethnicity:	N	%	N	%
White NH	47	45%	11	28%
Black NH	14	13%	8	21%
Hispanic	44	42%	20	51%
Asian/Pacific Islander	0	0%	0	0%
American Indian/Alaska Native	0	0%	0	0%
Unknown	0	0%	0	0%
Total	105		39	
D. Mada of C	N.I.	0/	NI	0/
By Mode of Exposure:	N	%	N	%
By Mode of Exposure:	N	<u>%</u>	N	<u>%</u>
Male to Male Sex (MSM)	N 56	% 53%	N 	<u>%</u> -
			N 11	- 28%
Male to Male Sex (MSM)	56	53%	-	-
Male to Male Sex (MSM) Injection Drug Use (IDU)	56	53%	-	-
Male to Male Sex (MSM) Injection Drug Use (IDU) MSM/IDU	56 25 ¹	53% 24% ¹	- 11 -	- 28% -
Male to Male Sex (MSM) Injection Drug Use (IDU) MSM/IDU Heterosexual Sex (HTSX)	56 25 ¹ 5	53% 24% ¹ 5% 6% ¹	- 11 - 12	- 28% - 31%
Male to Male Sex (MSM) Injection Drug Use (IDU) MSM/IDU Heterosexual Sex (HTSX) Presumed HTSX	56 25 ¹ 5	53% 24% ¹ 5%	- 11 - 12	- 28% - 31%
Male to Male Sex (MSM) Injection Drug Use (IDU) MSM/IDU Heterosexual Sex (HTSX) Presumed HTSX Other	56 25 ¹ 5	53% 24% ¹ 5% 6% ¹	- 11 - 12	- 28% - 31%

¹ Because the town of Chelsea has a population of <50,000; data cells with <5 cases have been suppressed for confidentiality purposes.

Data as of July 1, 2001	Male		Female	
By Race/Ethnicity:	N	%	N	%
White NH	67	68%	52	69%
Black NH	67 17	17%	52 8	11%
Hispanic	17	14%	0 15	20%
Asian/Pacific Islander	0	0%	0	0%
American Indian/Alaska Native	U	0 70	O	0 /0
Unknown	0	0%	0	0%
Total	98	0,0	75	0 70
By Mode of Exposure:	N	%	N	%
Male to Male Sex (MSM)	38	39%	_	-
Injection Drug Use (IDU)	36	37%	49	65%
MSM/IDU	7	7%	-	-
Heterosexual Sex (HTSX)	7	7%	14	19%
Presumed HTSX	7	7%	8	11%
Other	1	1%	1]
No Identified Risk	2	2%	3	
Total	98		75	

• ,	Male		Female	
By Race/Ethnicity:	N	%	N	%
White NH	32	21%	16	13%
Black NH	7	4%	7	6%
Hispanic	116	74%	96	81%
Asian/Pacific Islander	0	0%	0	0%
American Indian/Alaska Native	0	0%	0	0%
Unknown	1	1%	0	0%
Total	156		119	
By Mode of Exposure:	N	%	N	%
Male to Male Sex (MSM)	23	15%	-	_
Injection Drug Use (IDU)	93	60%	43	36%
MSM/IDU ` ` ´	3	2%	-	-
Heterosexual Sex (HTSX)	16	10%	52	44%
Presumed HTSX	12	8%	17	14%
Other	2	1%	2	1%
No Identified Risk	7	4%	5	4%
Total	156		119	

Table 16.19 People Living with HIV Infection and AIDS, Gender by Race/Ethnicity and Mode of Exposure: City of Lawrence, MA				
Data as of July 1, 2001	Male	•	Female	
By Race/Ethnicity:	N	%	N	%
White NH Black NH	31 7	19% 4%	11 3	10% 3%
Hispanic Asian/Pacific Islander	120 0	75% 0%	101 0	88% 0%
American Indian/Alaska Native Unknown Total	0 1 159	0% 1%	0 0 115	0% 0%
By Mode of Exposure:				
Male to Male Sex (MSM) Injection Drug Use (IDU)	18 78	11% 49%	- 28	- 24%
MSM/IDU Heterosexual Sex (HTSX)	5 15	3% 9%	63	- 55%
Presumed HTSX Other	22 4	14% 3%	14 5	12% 4%
No Identified Risk Total	17 159	11%	5 115	4%
Data Source: MDPH HIV/AIDS Surveillance Pro	gram (percentages may	y not add up to 100% du	re to rounding)	

Table 16.20 People Living with HIV Infection and AIDS, Gender by					
Race/Ethnicity and Mode	of Exposure	: City of Low	ell, MA		
Data as of July 1, 2001					
	Male		Female		
By Race/Ethnicity:	N	%	N	%	
White NH	78	36%	37	34%	
Black NH	33	15%	21	19%	
Hispanic	100	46%	48	44%	
Asian/Pacific Islander	7	3%	2	2%	
American Indian/Alaska Native	1	<1%	0	0%	
Unknown	0	0%	0	0%	
Total	219		108		
By Mode of Exposure:	N	%	N	%	
Male to Male Sex (MSM)	38	17%	-	_	
Injection Drug Use (IDU)	106	48%	46	43%	
MSM/IDU	13	6%	-	-	
Heterosexual Sex (HTSX)	14	6%	31	29%	
Presumed HTSX	38	17%	27	25%	
Other	1	<1%	2	2%	
No Identified Risk	9	4%	2	2%	
Total	219		108		

Data as of July 1, 2001	Male		Female	
By Race/Ethnicity:	N	%	N	%
White NH	89	54%	29	31%
Black NH	37	22%	41	43%
Hispanic	36	22%	23	24%
Asian/Pacific Islander	3	2%	2	2 -70
American Indian/Alaska Native	Ō	0%	0	0%
Unknown	0	0%	0	0%
Total	165		95	
By Mode of Exposure:	N	%	N	%
Male to Male Sex (MSM)	59	36%	<u>-</u>	-
Injection Drug Use (IDU)	58	35%	33	35%
MSM/IDU ` ´	7	4%	-	-
Heterosexual Sex (HTSX)	14	8%	26	27%
Presumed HTSX	15	9%	30	32%
Other	1	1%	1	'
No Identified Risk	11	7%	5	5%
Total	165		95	

Data as of July 1, 2001	Male		Female	
D. D. a. a. /F.thaniait		0/		0/
By Race/Ethnicity:	<u> </u>	%	<u> </u>	%
\\/\cite \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\	104	E40/	01	E00/
White NH Black NH	124 50	51% 20%	91 41	50% 22%
Hispanic	50 66	20% 27%	51	28%
Asian/Pacific Islander	0	0%	0	26% 0%
American Indian/Alaska Native	1	<1%	0	0%
Unknown	3	1%	0	0%
Total	244	1 /0	183	0 70
Total	277		103	
By Mode of Exposure:	N	%	N	%
Male to Male Sex (MSM)	36	15%	<u>-</u>	<u>-</u>
Injection Drug Use (IDU)	146	60%	96	52%
MSM/IDU	11	5%	-	-
Heterosexual Sex (HTSX)	25	10%	70	38%
Presumed HTSX	16	7%	11	6%
Other	2	1%	1	1%
No Identified Risk	8	3%	5	3%
Total	244		183	

Data as of July 1, 2001	Male		Female	
By Race/Ethnicity:	N	%	N	9/
White NH	229	93%	5	100%
Black NH	5	2%	Ō	0%
Hispanic	10	4%	0	09
Asian/Pacific Islander	1	<1%	0	09
American Indian/Alaska Native	0	0%	0	09
Unknown	0	0%	0	00
Total	245		5	
By Mode of Exposure:	N	%	N	9/
Male to Male Sex (MSM)	227	93%	_	
Injection Drug Use (IDU)	3	1%	3	
MSM/IDU	8	3%	-	
Heterosexual Sex (HTSX)	1	<1%	2	-
Presumed HTSX	0	0%	0	00
Other	3	1%	0	0,
No Identified Risk	3	1%	0	00
Total	245		5	

Data as of July 1, 2001	Male		Female	
By Race/Ethnicity:	N	%	N	%
White NH	83	69%	23	62%
Black NH	16	13%	11	30%
Hispanic	15	12%	3	<u>-</u> -
Asian/Pacific Islander	6	5%	0	09
American Indian/Alaska Native				
Unknown	1	1%	0	0%
Total	121		37	
By Mode of Exposure:	N	%	N	9/
Male to Male Sex (MSM)	55	45%	_	
Injection Drug Use (IDU)	35	29%	21	579
MSM/IDU	7	6%	-	
Heterosexual Sex (HTSX)	6	5%	9	249
Presumed HTSX	7	6%	6	16°
Other	1	1%	0	00
No Identified Risk	10	8%	1	-
Total	121		37	

Data as of July 1, 2001	Male		Female	
By Race/Ethnicity:	N	%	N	%
White NH	103	62%	32	46%
Black NH	42	25%	36	51%
Hispanic	18	11%	1	1
Asian/Pacific Islander	2	1%	1	1
American Indian/Alaska Native				
Unknown	1	1%	0	0%
Total	166		70	
By Mode of Exposure:	N	%	N	%
Male to Male Sex (MSM)	98	59%	_	
Injection Drug Use (IDU)	20	12%	22	31%
MSM/IDU	2	1%	-	-
Heterosexual Sex (HTSX)	5	3%	10	14%
Presumed HTSX	27	16%	34	49%
Other	3	2%	2	¹
No Identified Risk	11	7%	2	1
Total	166		70	

Data as of July 1, 2001	Male		Female	
By Race/Ethnicity:	N	%	N	%
White NH	112	23%	33	12%
Black NH	140	28%	86	30%
Hispanic	240	49%	165	58%
Asian/Pacific Islander	0	0%	0	0%
American Indian/Alaska Native	0	0%	0	0%
Unknown	2	<1%	1	<1%
Total	494		285	
By Mode of Exposure:	N	%	N	%
Male to Male Sex (MSM)	116	23%	-	
Injection Drug Use (IDU)	249	50%	96	34%
MSM/IDU ` ` ´	21	4%	-	
Heterosexual Sex (HTSX)	23	5%	106	37%
Presumed HTSX	49	10%	64	22%
Other	5	1%	3	19
No Identified Risk	31	6%	16	6%
Total	494		285	

Table 16.27 People Living with HIV Infection and AIDS, Gender by Race/Ethnicity and Mode of Exposure: City of Worcester, MA								
Data as of July 1, 2001								
By Race/Ethnicity:	Male		Female					
	N	%	N	%				
White NH	179	43%	102	37%				
Black NH	70	43 <i>%</i> 17%	53	19%				
Hispanic	160	39%	119	43%				
Asian/Pacific Islander	4	1%	1	<1%				
American Indian/Alaska Native	0	0%	1	<1%				
Unknown	1	<1%	1	<1%				
Total	414		277					
By Mode of Exposure:	N	%	N	%				
Male to Male Sex (MSM)	103	25%	_	_				
Injection Drug Use (IDU)	200	48%	142	51%				
MSM/IDU	22	5%	-	-				
Heterosexual Sex (HTSX)	33	8%	101	36%				
Presumed HTSX	45	11%	25	9%				
Other	4	1%	5	1%				
No Identified Risk	7	2%	4	1%				
Total	414		277					